

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	219	(bicycle or bike) same (brake near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:49
L2	0	1 and magnet and (magneto near2 switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:44
L3	1	1 and magnet and switch\$3 and (RF or wireless)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:57
L4	11	1 and magnet and switch\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:50
L5	446	(bicycle or bike) same (rear near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:49
L6	1	(1 or 5) and (magnet near7 lever) and switch\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:58
L7	1	(1 or 5) and (magnet with lever) and switch\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:50
L8	2	(1 or 5) and (magnet same lever) and switch\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:08
L9	1	(1 or 5) and (lever near7 switch\$3) near9 ((rear or back) near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:10
L10	0	9 and (RF or wireless)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:24
L11	0	9 and magnet\$5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 14:58
L12	2	(1 or 5) and (magnet near4 switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:24
L13	5	(bike or bicycle) and ((magnet near4 switch\$3) near7 (lever or hand\$4))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:03
L14	1	13 and ((rear or back or brake) near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:13
L15	2	(motocycle or motorbike or (two adj wheel)) and (lever near7 switch\$3) near9 ((rear or back or brake) near3 (light or lamp)) and magnet\$4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:12

L16	0	(motocyle or motorbike) and (lever near7 switch\$3) near9 ((rear or back or brake) near3 (light or lamp)) and magnet\$4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:12
L17	0	(motorcyle or motorbike) and (lever near7 switch\$3) near9 ((rear or back or brake) near3 (light or lamp)) and magnet\$4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:13
L18	1184	(bike or bicycle) and ((rear or back or brake) near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:13
L19	115	18 and (lever near7 (switch\$3 or actuat\$3 or activat\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:14
L20	1	19 and (magnet near4 switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:24
L21	2	19 and (RF or wireless) with (light or lamp)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/01 15:25

US 5418697 A
DE 29611957 U

Signal lamp assembly 362/473 362/464; 362/545; 362/800; 362/
Device for activating brake light or parking light e.g. for bicycles - f

L12

US 6246319 B1	Lever bar activation d 340/479 335/205; 340/468
US 4536754 A	Magnetically retained 340/568.2 335/207; 340/568.4
US 3722124 A	TARGET GAME 42/54 273/375; 446/399
CN 1279185 A	Breaker handle with switch-of induction circuit
DE 29922485 U	Device for recording lever settings for electrically powered bicycle,

L 13

US 6690266 B1	Signaling light attachr	340/432 340/464; 340/475; 340/479
US 6446745 B1	Control system for ele	180/206 180/205; 180/220; 180/65.1
US 5617303 A	Turn signal and horn	362/473 340/432; 362/287; 362/396; 362/
US 3878387 A	Bicycle signal system	362/473 200/61.12; 340/432; 362/464; 36
GB 2229052 A	Bicycle rear brake light system with brake lever switches - energis	
US 6871992 B2	Brake light system	362/541 340/940; 362/272; 362/385; 362/
US 6871895 B2	Multi-functional cargo	296/26.09 296/183.1; 296/39.2; 410/130; 4
US 6863328 B2	Multi-functional cargo	296/37.6 296/24.4; 410/129
US 6720745 B2	Data delivery track	315/312 315/294; 315/316
US 6677856 B2	Wireless remote vehic	340/468 340/425.5; 340/465; 340/472; 34
US 6577080 B2	Lighting entertainmen	315/362 315/292; 315/316; 315/324
US 6528954 B1	Smart light bulb	315/291 315/158
US 6520669 B1	Flexible substrate mo	362/545 313/511; 362/219; 362/231; 362/
US 6459919 B1	Precision illumination	600/407 315/291; 315/302; 315/312; 362/
US 6409596 B1	Game device and imæ	463/31 463/33
US 6340868 B1	Illumination compone	315/185S 315/362; 362/234
US 6292901 B1	Power/data protocol	713/300
US 6227556 B1	System for simultane	280/204
US 6211626 B1	Illumination compone	315/291 315/324
US 6206401 B1	Trailer support arrang	280/475 280/432; 280/763.1
US 6166496 A	Lighting entertainmen	315/316 315/292; 315/295; 315/362
US 6007221 A	Head lamp for vehicle	362/465 362/281; 362/284; 362/324; 362/
US 5975549 A	System for simultane	280/240 280/204
US 5956250 A	Apparatus and metho	701/26 318/587; 701/206
US 5838562 A	System and a methoc	701/213 180/167; 318/587
US 5813501 A	Hand operated hydra	188/344 188/24.11; 188/24.22
US 5764139 A	Information display ap	340/461 340/438; 340/439; 701/1; 701/29
US 5704619 A	Slidable skate brake	280/11.216 280/11.212; 280/11.231
US 5684696 A	System and method f	701/25 318/587; 701/123; 701/207
US 5680313 A	System and method f	701/300 340/436; 348/118; 348/135; 382/
US 5680306 A	System, and method for enabling	180/167
US 5667233 A	Bicycle with a change	280/238 280/212; 280/236; 280/260; 74/4
US 5664794 A	Ground engaging mo	280/11.21; 188/5; 280/11.216
US 5657226 A	System and method f	701/23 180/167
US 5651556 A	Ground engaging mo	280/11.21; 280/11.221
US 5648901 A	System and method f	701/23 701/200
US 5646845 A	System and method f	701/41 701/200; 701/26; 701/3
US 5646843 A	Apparatus and metho	701/3 348/114; 348/118; 701/11
US 5640323 A	System and method f	701/1 701/200; 701/207; 701/225
US 5629855 A	System and method f	701/300 340/988; 342/357.02; 342/450; 7
US 5615116 A	Apparatus and metho	701/23 180/167; 318/587; 701/202; 701/
US 5612883 A	System and method f	701/300 340/435; 340/903; 356/5.01; 702
US 5610815 A	Integrated vehicle pos	701/23 318/587; 340/988; 342/357.08; 3

L19

US 5607031 A	Bicycle brake with del	188/26 188/18A
US 5594415 A	Display device for a v	340/467 340/463; 340/464; 340/465; 340/
US 5555503 A	System and method f	701/207 342/357.08; 342/457; 701/300
US 5548516 A	Multi-tasked navigatio	701/200 701/213; 701/301
US 5545982 A	Cycle computer syste	324/174 188/24.22; 324/160; 324/166
US 5544906 A	Human powered recu	280/288.1 280/269; 280/281.1; 280/282
US 5505493 A	Bicycle with simulatec	280/828 280/272; 280/288.4; 296/78.1; 4
US 5504662 A	Safety bicycle saddle	362/473 200/61.12; 340/432; 362/276; 36
US 5469998 A	Spare tire carrier for e	224/506 224/42.21; 224/507; 224/508; 22
US 5463370 A	Display device for a v	340/439 200/61.29; 200/61.89; 273/442; 3
US 5438517 A	Vehicle position deter	701/213 342/357.03; 342/457; 701/214; 7
US 5418696 A	Bicycle mounted turn-	362/473 340/468; 362/418
US 5397161 A	Structure of bicycle s	297/195.1 297/337
US 5390125 A	Vehicle position deter	701/214 342/357.02; 342/457; 701/226
US 5375059 A	Vehicle position deter	701/215 342/357.03; 342/457; 701/226
US 5372560 A	Multi-functional sporti	482/54 482/51; 482/57; 482/58; 482/70;
US 5272609 A	Portable lighting unit	362/250 362/419; 362/427
US 5197795 A	Adjustable-length rerr	362/473 224/426; 224/435; 224/445; 280/
US 5171032 A	Brake device for in-lin	280/11.21; 188/74; 280/11.231
US 5148886 A	Safety control for veh	180/275
US 5141067 A	Bicycle power pack	180/11 180/15; 280/204
US 5015869 A	Dynamo for/on bicyck	290/1R
US 4967179 A	Saddle for cycles, mo	340/432 340/479; 362/473; 362/541
US 4944360 A	Platform oriented tran	180/210 180/208
US 4920464 A	Bicycle brake light	362/473 340/432; 362/251; 362/394; 362/
US 4919225 A	Platform oriented tran	180/210 180/215; 296/210; 296/218; 296/
US 4875699 A	Human powered vehi	280/236 180/365; 192/3.61; 74/523
US 4833444 A	Bicycle brake light sy	340/432 200/61.12; 340/479
US 4821020 A	Cycle stop-light switc	340/432 200/52R; 200/61.12; 340/479
US 4776766 A	Portable air pump ass	417/44.6 137/224; 137/227; 141/38; 152/4
US 4768798 A	Internal cable arrange	280/281.1 188/24.21; 188/24.22; 254/389; 7
US 4765443 A	Caliper brake for mou	188/24.21 188/24.12; 188/24.19; 188/24.22
US 4730829 A	Exercise machine	482/5 482/137; 482/9; 482/901; 482/90
US 4720099 A	Exercise machine	482/133 482/142; 482/5; 482/9; 482/901;
US 4708356 A	Human powered vehi	280/255 280/232; 280/246; 280/263; 280/
US 4659097 A	Bicycle	280/281.1 280/261; 280/274; 280/279; 280/
US 4568101 A	Automatic suspensior	180/227 180/219; 180/41; 280/5.514; 280
US 4456277 A	Tricycle	280/282 180/205; 180/215; 280/202; 280/
US 4451871 A	Safety light or the like	362/186 200/60; 362/103; 362/191; 362/2
US 4423473 A	Safety light or the like	362/186 200/60; 362/103; 362/190; 362/1
US 4395603 A	Rear "stop" light cont	200/61.87 340/432
US 4371185 A	Two-wheeled vehicle	280/227 280/226.1; 482/57
US 4290048 A	Turn signalling appar	340/432 315/200A; 340/475

L19 (Cont)

US 4266794 A	Two-wheeled vehicle	280/227	280/226.1; 482/62; 74/594.1
US 4227589 A	Combined engine and	180/206	180/221; 280/209; 280/283
US 4129201 A	Brake for vehicles	188/76	
US 4089525 A	Pro-skill basketball game	273/375	124/4; 273/399; 273/DIG.26
US 4031343 A	Bicycle brake light switch	200/61.12	200/538; 200/61.87; 340/432; 74
US 4027130 A	Cable activated switch	200/518	200/543; 200/61.87; 74/502.4; 74
US 3993174 A	Hydraulic bicycle brake	188/344	188/345; 188/349; 188/72.6; 60/5
US 3948361 A	Parking brake mechanism	188/24.18	188/265; 74/489; 74/538; 74/541
US 3922005 A	Occupant-propelled vehicle	280/237	280/251; 280/254; 280/282
US 3909780 A	Low-velocity warning	340/463	180/282; 340/670; 340/688; 73/4
US 3860235 A	PORTABLE EXERCISE	482/63	482/1; 482/4; 482/60; 482/903
US 3831942 A	PORTABLE EXERCISE	482/72	310/105; 482/5; 74/527; 74/567;
US 3722124 A	TARGET GAME	42/54	273/375; 446/399
US 3628635 A	BICYCLE BRAKE	188/6	188/24.19; 188/26
US 3603924 A	STOP-WARNING DEVICE	340/479	340/472
JP 03090490 A	SWITCH DEVICE FOR BICYCLE	188/1.11R	188/24.11
JP 59176139 A	SAFETY APPARATUS FOR BICYCLE		
DE 10304481 A1	Bicycle brake light unit has brake light in helmet actuated by pendulum		
GB 2229052 A	Bicycle brake light system	340/479	
DE 3719004 A1	Lighting system for non-motor-vehicle	340/432	
GB 2130015 A	Electrical switch for cycle stop-light	200/505	
DE 10304481 A	Bicycle brake light unit has brake light in helmet actuated by pendulum		
DE 20317024 U	Bicycle brake light warning unit has brake lever operated magnetic		
DE 29610160 U	Bicycle brake lamp - uses battery-powered rear lamp with extra wiring		
GB 2237367 A	Bicycle brake and indicator unit with battery - illuminates red brake		
EP 337965 A	Saddle for cycles, motor cycles - has light in rear part device for display		
DE 3737508 A	Rear brake light for bicycle - is operated by switch on brake control		
EP 109763 A	Bicycle or motorcycle brake-light switch - has pressure sensitive reed		
DE 3335872 A	Battery-operated headlamp for bicycle - incorporates simple switch		

L19 (Cont)

US 6677856 B2
DE 20317024 U

Wireless remote vehicle 340/468 340/425.5; 340/465; 340/472; 34
Bicycle brake light warning unit has brake lever operated magnetic

L21

1